

## **Vor 2000:**

1. Steinmeyer EM, **Pukrop R**, Czernik A, Saß H (1996). Facettentheoretische Validierung des Konstrukts Lebensqualität bei depressiv Erkrankten. In Möller HJ, Engel RR, Hoff P (Eds.), *Befunderhebung in der Psychiatrie: Lebensqualität, Negativsymptomatik und andere aktuelle Entwicklungen* (S. 39-62). Wien New York: Springer.
2. Steinmeyer EM, **Pukrop R**, Herpertz S, Saß H (1996). Facettentheoretische Konstruktvalidierung des NEO-FFI und des SFT. In Möller HJ, Engel RR, Hoff P (Eds.), *Befunderhebung in der Psychiatrie: Lebensqualität, Negativsymptomatik und andere aktuelle Entwicklungen* (S. 31-38). Wien New York: Springer.
3. Herpertz S, Steinmeyer EM, **Pukrop R**, Woschnik M, Saß H (1997). Persönlichkeit und Persönlichkeitsstörungen. Eine facettentheoretische Analyse der Ähnlichkeitsbeziehungen. *Zeitschrift für Klinische Psychologie* 26:109-117.
4. **Pukrop R**. (1997). Theoretische Explikation und empirische Validierung des Konstruktes Lebensqualität unter besonderer Berücksichtigung psychopathologischer Subpopulationen und facettentheoretischer Methodik. *Unveröffentlichte Dissertation*. Universität Bielefeld.
5. **Pukrop R**, Herpertz S, Saß H, Steinmeyer EM (1998). Personality and personality disorders. A facet theoretical analysis of the similarity relationships. *Journal of Personality Disorders* 12:226-246.
6. **Pukrop R**, Möller HJ, Saß H, Sauer H, Klosterkötter J, Czernik A, Krausz M, Stieglitz RD, Lambert M, Matthies H, Schaub A, Woschnik M, Wulfinghoff F, Steinmeyer EM. (1999). Das Konstrukt Lebensqualität: Metaanalytische Validierung und die Entwicklung eines modularen Erhebungssystems. *Nervenarzt* 70:41-53.
7. Steinmeyer EM, **Pukrop R** (1999). Faktoren- und facettenanalytische Untersuchungen von normalen Persönlichkeitsdimensionen und Persönlichkeitsstörungen. In Bronisch T, Buchheim P, Kapfhammer HP, Möller HJ, Trautmann-Sponsel RD, Zaudig M (Eds.), *PTT - Sonderband: Persönlichkeitsstörungen. Theorie und Therapie* (S. 75-83). Stuttgart: Schattauer.

## **2000:**

8. Petereit HF, Richter N, **Pukrop R**, Bamborschke S (2000). Interferon gamma production in blood lymphocytes correlates with disability score in multiple sclerosis patients. *Multiple Sclerosis* 6:19-23.
9. **Pukrop R**, Möller HJ, Steinmeyer EM (2000). Quality of life in psychiatry: a systematic contribution to construct validation and the development of the integrative assessment tool 'Modular System for Quality of Life'. *European Archives of Psychiatry and Clinical Neuroscience* 250:120-132.
10. **Pukrop R**, Saß H, Steinmeyer EM (2000). Circumplex models for the similarity relationships between higher order factors of personality and personality disorders: An empirical analysis. *Comprehensive Psychiatry* 41:1-9.

## **2001:**

11. Gontard von A, Schmelzer D, Seifen S, **Pukrop R** (2001). Central nervous system involvement in nocturnal enuresis – evidence of general neuromotor delay and specific brainstem-dysfunction.. *Journal of Urology* 166:2448-2451.
12. Lammertink M, Löhrer F, Kaiser R, Hambrecht M, **Pukrop R** (2001). Differences in substance abuse patterns in schizophrenia with multiple drug abuse versus polytoxicomania. *Acta Psychiatrica Scandinavica* 104:361-366.
13. Petereit HF, Bachmann G, Nekic M, Althaus H, **Pukrop R (2001)**. A new nephelometric assay for beta-trace protein (prostaglandin D synthase) as an indicator of liquorhœa. *Journal of Neurology, Neurosurgery, and Psychiatry* 71:347-351.
14. **Pukrop R**, Steinmeyer EM, Steinbring I, Klosterkötter J (2001). Zur Validität von subaffektiven Persönlichkeitsstörungen. In Saß H, Margraf J (Eds.), *PTT - Sonderband: Persönlichkeitsstörungen* (S. 226-236). Stuttgart: Schattauer.
15. **Pukrop R**, Gentil I, Steinbring I, Steinmeyer EM (2001). Factorial structure of the German version of the 'Dimensional Assessment of Personality Pathology-Basic Questionnaire' in clinical and nonclinical samples. *Journal of Personality Disorders* 15:450-456.

## **2002:**

16. Hambrecht M, Lammertink M, Klosterkötter J, Matuschek E, **Pukrop R** (2002). Subjective and objective neuropsychological deficits in a psychosis prodrome clinic. *British Journal of Psychiatry* 181:30-37.
17. Petereit HF, Nolden S, Schoppe S, Bamborschke S, **Pukrop R**, Heiss WD (2002). Low interferon gamma producers are better treatment responders. A two year follow-up of interferon beta treated multiple sclerosis patients. *Multiple Sclerosis* 8:292-294.
18. **Pukrop R** (2002). Dimensional personality profiles of borderline personality disorder in comparison with other personality disorders and healthy controls. *Journal of Personality Disorders* 16:135-147.
19. **Pukrop R**, Steinmeyer EM, Woschnik M, Czernik A, Matthies H, Sass H, Klosterkötter J (2002). Persönlichkeit, Akzentuierte Wesenszüge und Persönlichkeitsstörungen – ein Beitrag zur dimensionalen Diagnostik von Persönlichkeitsstörungen. *Nervenarzt* 73:247-254.
20. Steinmeyer EM, Klosterkötter J, Möller HJ, Saß H, Herpertz S, Czernik A, Marcea JT, Matakas F, Mehne J, Bottlender H, Hesse W, Steinbring I, **Pukrop R** (2002). Persönlichkeit und Persönlichkeitsstörungen I: Zur Universalität und Sensitivität dimensionaler Beschreibungssysteme (hierarchische Persönlichkeitsmodelle) für Persönlichkeitsstörungen. *Fortschritte der Neurologie Psychiatrie* 70:630-640.
21. Steinmeyer EM, Klosterkötter J, Möller HJ, Saß H, Herpertz S, Czernik A, Marcea JT, Matakas F, Mehne J, Bottlender H, Hesse W, Steinbring I, **Pukrop R** (2002). Persönlichkeit und Persönlichkeitsstörungen II: Zur Spezifität des DAPP-Ansatzes als differentielles Beschreibungssystem von Persönlichkeitsstörungen. *Fortschritte der Neurologie Psychiatrie* 70:641-646.
22. Tendolkar I, Ruhrmann S, Brockhaus A, **Pukrop R**, Klosterkötter J (2002). Remembering or knowing: electrophysiological evidence for an episodic memory deficit in schizophrenia. *Psychological Medicine* 32:1261-1271.

## **2003:**

23. Bechdolf A, Klosterkötter J, Hambrecht M, Knost B, Kuntermann C, Schiller S, **Pukrop R** (2003). Determinants of subjective quality of life in postacute patients with schizophrenia. *European Archives of Psychiatry and Clinical Neuroscience* 253:228-235.
24. Petereit HF, **Pukrop R**, Fazekas S, Bamborschke SU, Röpele S, Kölmel HW, Merkelbach S, Japp G, Jongen PJH, Hartung HP, Hommes OR (2003). Low Interleukin-10 production is associated with higher disability and MRI lesion load in secondary progressive multiple sclerosis. *Journal of Neurological Sciences* 206:209-214.
25. **Pukrop R** (2003). Subjektive Lebensqualität: Kritische Betrachtung eines modernen Konstruktes. *Nervenarzt* 74:48-54.
26. **Pukrop R**, Matuschek E, Ruhrmann S, Brockhaus-Dumke A, Tendolkar I, Bertsch A, Klosterkötter J (2003). Dimensions of working memory dysfunction in schizophrenia. *Schizophrenia Research* 62:259-268.
27. **Pukrop R**, Schlaak V, Möller-Leimkühler A, Albus M, Czernik A, Klosterkötter J, Möller HJ (2003). Reliability and validity of Quality of Life assessment in patients with depression and patients with schizophrenia. *Psychiatry Research* 119:63-79.
28. Rehse B, **Pukrop R** (2003). Effects of psychosocial interventions on quality of life in adult cancer patients: meta analysis of 37 published controlled outcome studies. *Patient Education and Counseling* 50:179-186.
29. Reuber M, House AO, **Pukrop R**, Bauer J, Elger CE (2003). Somatization, dissociation and general psychopathology in patients with psychogenic non-epileptic seizures. *Epilepsy Research* 57:159-167.
30. Reuber M, **Pukrop R**, Bauer J, Helmstaedter C, Tessendorf N, Elger CE (2003). Outcome in psychogenic nonepileptic seizures: 1 to 10-year follow-up in 164 patients. *Annals of Neurology* 53:305-311.
31. Reuber M, **Pukrop R**, Mitchell AJ, Bauer J, Elger CE (2003). Clinical significance of recurrent psychogenic nonepileptic seizure status. *Journal of Neurology* 250:1355-1362.
32. **Pukrop R** (2003). Dimensionale Diagnostik von Persönlichkeitsstörungen anhand des 'Dimensional Assessment of Personality Pathology' (DAPP). *Unveröffentlichte Dissertation..Universität zu Köln.*

33. **Pukrop R** (2003). Modulares System zur Lebensqualität. In Schumacher J, Klaiberg A, Brähler E (Eds.), *Diagnostische Verfahren zu Lebensqualität und Wohlbefinden* (S. 227-232). Göttingen Bern Toronto Seattle: Hogrefe.
34. Steinmeyer EM, **Pukrop R** (2003). Konzeptbildung der Persönlichkeitsstörungen aus der Sicht der Persönlichkeitspsychologie und klinischen Psychologie. In Herpertz S, Saß H (Eds.), *Persönlichkeitsstörungen* (S. 52-59). Stuttgart New York:Thieme.

## **2004:**

35. Bechdolf A, Knost B, Kuntermann C, Schiller C, Klosterkötter J, Hambrecht M, **Pukrop R** (2004). A randomized comparison of group cognitive-behavioural therapy and group psychoeducation in patients with schizophrenia. *Acta Psychiatrica Scandinavica* 110:21-28.
36. Köhn D, Niedersteberg A, Wieneke A, Bechdolf A, **Pukrop R**, Ruhrmann S, Schultze-Lutter F, Maier W, Klosterkötter J (2004). Frühverlauf schizophrener Ersterkrankungen mit langer Dauer der unbehandelten Erkrankung. Eine vergleichende Studie. *Fortschritte der Neurologie Psychiatrie* 72:88-92.
37. Köhn D, **Pukrop R**, Niedersteberg A, Schultze-Lutter F, Ruhrmann S, Bechdolf A, Berning J, Maier W, Klosterkötter J (2004). Wege in die Behandlung: Hilfesuchverhalten schizophrener Ersterkrankter. *Fortschritte der Neurologie Psychiatrie* 11:635-642.
38. **Pukrop R** (2004). Selektivität neurokognitiver Normdevianzen bei Patienten mit erhöhtem Psychoserisiko im Vergleich zu Patienten mit Schizophrenie und gesunden Kontrollen- Ein Beitrag zur Beschreibung des Endophänotyps der Schizophrenie. *Unveröffentlichte Habilitationsschrift*. Universität zu Köln.
39. Reuber M, **Pukrop R**, Bauer J, Derfuss R, Elger CE (2004). Multidimensional assessment of personality in patients with psychogenic nonepileptic seizures. *Journal of Neurology, Neurosurgery, and Psychiatry* 75:743-748.

## **2005:**

40. Bechdolf A, **Pukrop R**, Köhn D, Tschinkel S, Veith V, Schultze-Lutter F, Ruhrmann S, Geyer C, Pohlmann B, Klosterkötter J (2005). Subjective quality of life in subjects at risk for a first episode of psychosis: a comparison with first-episode schizophrenia patients and healthy controls. *Schizophrenia Research* 79:137-143.
41. Bechdolf A, Köhn D, Knost B, **Pukrop R**, Klosterkötter J (2005). A randomized comparison of group cognitive-behavioural therapy and group psychoeducation in patients with acute schizophrenia: outcome at 24 months. *Acta Psychiatrica Scandinavica* 112:173-179.
42. Brockhaus-Dumke A, Tendolkar I, **Pukrop R**, Schultze-Lutter F, Klosterkötter J, Ruhrmann S (2005). Impaired mismatch negativity generation in prodromal subjects and patients with schizophrenia. *Schizophrenia Research* 73:297-310.
43. **Pukrop R** (2005). Erwiderungen zu den Anmerkungen von Meyer et al. zu Pukrop R (Nervenarzt 2003;74:48-54). *Nervenarzt* 76:24-25.
44. **Pukrop R**, Krischer M (2005). Changing views about personality disorders. *Journal of Personality Disorders* 19:563-572.
45. Tendolkar I, Ruhrmann S, Brockhaus-Dumke A, Pauli M, Mueller R, **Pukrop R**, Klosterkötter J (2005). Neural correlates of visuo-spatial attention during an antisaccade task in schizophrenia: an ERP study. *International Journal of Neuroscience* 115:681-698.

## **2006:**

46. Aleksic M, Huff W, Hoppmann B, Heckenkamp J, **Pukrop R**, Brunkwall J (2006). Cognitive function remains unchanged after endarterectomy of unilateral internal carotid artery stenosis under local anaesthesia. *European Journal of Vascular and Endovascular Surgery* 31:616-621.
47. Freitag CM, Röhling D, Seifen S, **Pukrop R**, von Gontard A (2006). Neurophysiology of nocturnal enuresis: evoked potentials and prepulse inhibition of the startle reflex. *Developmental medicine and child neurology* 48:278-284.

48. Gontard von A, Freitag CM, Seifen S, **Pukrop R**, Röhling D (2006). Neuromotor development in nocturnal enuresis. *Developmental Medicine and Child Neurology* 48:744-750.
49. Grabe HJ, Ruhrmann S, Ettelt S, Buhtz F, Hochrein A, Meyer K, Kraft S, Reck C, **Pukrop R**, Freyberger HJ, Klosterkötter J, Falkai P, Maier W, Wagner M (2006). Familiality of obsessive-compulsive disorder in nonclinical and clinical subjects. *American Journal of Psychiatry* 163:1986-1992.
50. Grabe HJ, Ruhrmann S, Ettelt S, Müller A, Buhtz F, Hochrein A, Schulze-Rauschenbach S, Meyer K, Kraft S, Reck C, **Pukrop R**, Klosterkötter J, Falkai P, Maier W, Wagner M, John U, Freyberger HJ (2006). Alexithymia in obsessive-compulsive disorder – results from a family study. *Psychotherapy & Psychosomatics* 75:312-318.
51. Petereit HF, Reske D, **Pukrop R**, Maas-Enriquez M, Japp G, Jongen PJH, Kölmel HW, Merkelbach S, Hartung HP, Heiss WD, Hommes OR (2006). No effect of intravenous immunoglobulins on cytokine-producing lymphocytes in secondary progressive multiple sclerosis. *Multiple Sclerosis* 12:66-71.
52. **Pukrop R** (2006). Editorial: Die Herausforderung der nosologischen Klassifikationssysteme durch dimensionale Modelle. *Fortschritte der Neurologie Psychiatrie* 74:1-3.
53. **Pukrop R** (2006). Das Studium der Klinischen Psychologie und die Psychotherapieausbildung: Über die Anrechenbarkeit von Studienleistungen. *Verhaltenstherapie und Psychosoziale Praxis* 38:379-395.
54. **Pukrop R** (2006). Pro und Contra: Ist subjektive Lebensqualität ein sinnvoller Outcomeindikator? *Psychiatrische Praxis* 33:312-316.
55. **Pukrop R**, Schultze-Lutter F, Ruhrmann S, Brockhaus-Dumke A, Tendolkar I, Bechdolf A, Matuschek E, Klosterkötter J (2006). Neurocognitive functioning in subjects at risk for a first episode of psychosis compared with first and multiple episode schizophrenia. *Journal of Clinical and Experimental Neuropsychology* 28:1388-1407.
56. Reske D, **Pukrop R**, Haupt WF, Scheinig K, Petereit HF, Heiss WD (2006). Messbarkeit von Fatigue bei multipler Sklerose mit Hilfe standardisierter Methoden im deutschsprachigen Raum. *Fortschritte der Neurologie Psychiatrie* 74:497-502.

## **2007:**

57. Bechdolf A, Veith V, **Pukrop R**, Klosterkötter J (2007). Subjective quality of life in subjects at risk for a first episode of psychosis. In Ritsner MS & Awad AG (Eds.), *Quality of Life impairment in schizophrenia, mood and anxiety disorders: new perspectives for research and treatment* (S. 159-172). Springer: Dordrecht.
58. Bechdolf A, Wagner M, Veith V, Ruhrmann S, **Pukrop R**, Brockhaus-Dumke A, Berning J, Stamm E, Janssen B, Decker P, Bottlender R, Möller HJ, Gaebel W, Maier W, Klosterkötter J (2007). A randomized controlled multicenter trial of behavior therapy in the early initial prodromal state: effects on social adjustment post-treatment. *Early Intervention in Psychiatry* 1:71-78.
59. Ettelt S, Ruhrmann S, Barnow S, Buhtz F, Hochrein A, Meyer K, Kraft S, Reck C, **Pukrop R**, Klosterkötter J, Falkai P, Maier W, Wagner M, Freyberger HJ, Grabe HJ (2007). Impulsiveness in Obsessive-Compulsive Disorder: results from a family study. *Acta Psychiatrica Scandinavica* 115:41-47.
60. Krischer M, Sevecke K, Lehmkuhl, **Pukrop R** (2007). Dimensional assessment of personality pathology in female and male juvenile delinquents. *Journal of Personality Disorders* 21:675-689.
61. **Pukrop R**, Bechdolf A (2007). Integrative bottom-up approach to HRQOL measurement. In Ritsner MS & Awad AG (Eds.), *Quality of Life impairment in schizophrenia, mood and anxiety disorders: new perspectives for research and treatment* (S. 143-158). Springer: Dordrecht.
62. **Pukrop R**, Ruhrmann S, Schultze-Lutter F, Brockhaus-Dumke A, Klosterkötter J (2007). Neurocognitive indicators for a transition to psychosis: comparison of subjects at risk who transited to psychosis and who did not transit. *Schizophrenia Research* 92:116-129.
63. Schultze-Lutter F, Ruhrmann S, Picker H, Klosterkötter J, **Pukrop R** (2007). Objective and subjective cognitive performance in the early and late prodrome. *British Journal of Psychiatry* 51:s43-51.

## **2008:**

64. Brockhaus-Dumke A, Schultze-Lutter F, Mueller R, Tendolkar I, Bechdolf A, **Pukrop R**, Klosterkoetter J, Ruhrmann S (2008). Sensory gating in schizophrenia: P50 and N100 gating in antipsychotic-free subjects at risk, first-episode and chronic patients. *Biological Psychiatry* 64:376-384.
65. Ettelt S, Grabe HJ, Ruhrmann S, Buhtz F, Hochrein A, Kraft S, **Pukrop R**, Klosterkötter J, Falkai P, Maier W, John U, Freyberger HJ, Wagner M (2008). Harm avoidance in subjects with obsessive-compulsive disorders and their families. *Journal of Affective Disorders* 107:265-269.
66. Grabe HJ, Ruhrmann S, Spitzer C, Josepeit J, Ettelt S, Buhtz F, Hochrein A, Schulze-Rauschenbach S, Meyer K, Kraft S, Reck C, **Pukrop R**, Klosterkötter J, Falkai P, Maier W, Wagner M, John U, Freyberger HJ (2008). Obsessive-compulsive disorder and posttraumatic stress disorder. *Psychopathology* 41:129-134.
67. Krischer M, Sevecke K, Wunram HL, Lehmkuhl G, **Pukrop R** (2008). Der Einfluss emotionaler Stimuli auf die Arbeitsgedächtnisleistung bei weiblichen delinquenten Jugendlichen. *Zeitschrift für Kinder- und Jugendpsychiatrie und -psychotherapie* 36:401-410.
68. **Pukrop R** (2008). Auf dem Weg zum DSM-V: Neue Ansätze zur Klassifikation von Persönlichkeitsstörungen. *Zeitschrift für Kinder- und Jugendpsychiatrie und -psychotherapie* 8-9:610-624.
69. Ruhrmann S, Paruch J, Bechdolf A, **Pukrop R**, Kühn KU, Wagner M, Berning J, Schultze-Lutter F, Janssen B, Gaebel W, Möller HJ, Maier W, Klosterkötter J (2008). Reduced subjective quality of life in persons at risk for psychosis. *Acta Psychiatrica Scandinavica* 117:357-368.

## **2009:**

70. Janowitz D, Grabe HJ, Ruhrmann S, Ettelt S, Buhtz F, Hochrein A, Schulze-Rauschenbach S, Meyer K, Kraft S, Ferber C, **Pukrop R**, Freyberger HJ, Klosterkötter J, Falkai P, John U, Maier W, Wagner M (2009). Early onset of obsessive-compulsive disorder and associated comorbidity. *Depression and Anxiety* 26: 1012-1017.

71. **Pukrop R**, Steinbring I, Gentil I, Schulte K, Klosterkötter J, Larstone R, Livesley WJ. Clinical validity of the 'Dimensional Assessment of Personality Pathology' (DAPP) for psychiatric patients with and without a personality disorder diagnosis. *Journal of Personality Disorders* 23:572-586.

72. Sevecke K, **Pukrop R**, Kosson DS, Krischer MK (2009). Factor structure of the Hare psychopathy checklist-youth version in German female and male detainees and community adolescents. *Psychological Assessment* 21:45-56.

## **2010:**

73. Bechdolf A, Knost B, Nelson B, Schneider N, Veith V, Yung AR, **Pukrop R** (2010). Randomized comparison of group cognitive behavior therapy and group psychoeducation in acute patients with schizophrenia: effects on subjective quality of life. *Australian and New Zealand Journal of Psychiatry* 44:144-150.

74. Lennertz L, Grabe HJ, Ruhrmann S, Rampacher F, Vogeley A, Schulze-Rauschenbach S, Ettelt S, Meyer K, Kraft S, Reck C, **Pukrop R**, John U, Freyberger HJ, Klosterkötter J, Maier W, Falkai P, Wagner M (2010). Perceived parental rearing in subjects with obsessive-compulsive disorder and their siblings. *Acta Psychiatrica Scandinavica* 121:280-288.

75. Lennertz L, Wagner M, Frommann I, Schulze-Rauschenbach S, Schuhmacher A, Kühn KU, **Pukrop R**, Klosterkötter J, Wölwer W, Gäbel W, Rietschel M, Häfner H, Maier W, Mössner R (2010). A coding variant of the novel serotonin receptor subunit 5-HT3E influences sustained attention in schizophrenia patients. *European Neuropsychopharmacology* 20:414-420.

76. **Pukrop R**, Klosterkötter J (2010). Neurocognitive indicators of clinical high-risk states for psychosis: a critical review of the evidence. *Neurotoxicity Research* 18:272-286.

77. Zillhardt H, Dresbach T, Gillen J, Müller A, **Pukrop R**, Simon A (2010). HIV/AIDS und Suizid bei Adoleszenten und jungen Erwachsenen im Zeitalter der hochaktiven antiretroviralen Therapie. *Pädiatrische Praxis* 75:151-158.

## **2011:**

78. Frommann I, **Pukrop R**, Brinkmeyer J, Bechdolf A, Ruhrmann S, Berning J, Decker P, Riedel M, Möller HJ, Wölwer W, Gaebel W, Klosterkötter J, Maier W, Wagner M (2011). Neuropsychological profiles in different at-risk states of psychosis: executive control impairment in the early and additional memory dysfunction in the late prodromal state. *Schizophrenia Bulletin* 37:861-873.
79. Karow A, Vertheim U, **Pukrop R**, Haasen C, Krausz M, Schäfer I (2011). Quality of life profiles and changes in the course of maintenance treatment among 1015 patients with severe opioid dependence. *Substance use and misuse* 46:705-715.
80. **Pukrop R** (2011). Jammer- und Klageethik ist der falsche Weg. *Psychotherapeutenjournal* 10: 277.
81. Zillhardt H, Dresbach T, Gillen J, Müller A, **Pukrop R**, Simon A (2011). HIV/AIDS und Suizid bei Adoleszenten und jungen Erwachsenen im Zeitalter der hochaktiven antiretroviralnen Therapie. *Tägliche Praxis* 525:351-374.

## **2012:**

82. Bechdolf A, Wagner M, Ruhrmann S, Harrigan S, Putzfeld V, **Pukrop R**, Brockhaus-Dumke A, Berning J, Janssen B, Decker P, Bottlender R, Maurer K, Möller HJ, Gaebel W, Häfner H, Maier W, Klosterkötter J (2012). Preventing progression to first episode psychosis in early initial prodromal states. *British Journal of Psychiatry* 200:22-29.
83. Krischer MK, **Pukrop R**, Halstenberg A, Lehmkuhl G, Sevecke K (2012). Stabilität von Persönlichkeitspathologie bei jugendlichen Delinquenten. *Kindheit und Entwicklung* 3:151-160.
84. Lennertz L, Franke PE, Grabe HJ, Rampacher F, Schulze-Rauschenbach S, Guttenthaler V, Ruhrmann S, **Pukrop R**, Klosterkötter J, Maier W, Falkai P, Wagner M, Mössner R (2013). The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) is associated with schizophrenia and modulates verbal memory and acoustic startle response. *International Journal of Neuropsychopharmacology* 9:1205-1215.

85. Lennertz L, Wagner M, Wölwer W, Schuhmacher A, Frommann I, Berning J, Schulze-Rauschenbach S, Landsberg M, Steinbrecher A, Alexander M, Franke P, **Pukrop R**, Ruhrmann S, Bechdolf A, Gaebel W, Klosterkötter J, Häfner H, Maier W, Mössner R (2012). A promoter variant of SHANK1 affects auditory working memory in schizophrenia patients and in subjects clinically at risk for psychosis. *European Archives of Psychiatry and Clinical Neuroscience* 2:117-124.
86. Lennertz L, Rampacher F, Vogeley A, Schulze-Rauschenbach S, **Pukrop R**, Ruhrmann S, Klosterkötter J, Maier W, Falkai P, Wagner M (2012). Antisaccade performance in patients with obsessive-compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. *European Archives of Psychiatry and Clinical Neuroscience* 7:625-634.
87. **Pukrop R**, Ruhrmann S (2011). Neurocognitive indicators of high-risk states for psychosis. In Fusar-Poli P, Borgwardt SJ, McGuire P (Ed.), *Vulnerability to psychosis: From neurosciences to psychopathology* (S.73-94). Psychology Press: Hove New York.

## **2013:**

88. Lennertz L, Franke PE, Grabe HJ, Rampacher F, Schulze-Rauschenbach S, Guttenthaler V, Ruhrmann S, **Pukrop R**, Klosterkötter J, Maier W, Falkai P, Wagner M, Mössner R (2013). The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) influences age of onset of obsessive-compulsive disorder. *International Journal of Neuropsychopharmacology* 9:1951-1958.

## **2014:**

89. Hentschel A, **Pukrop R** (2014). The essential features of personality disorder in DSM-5: The realationship between criteria A and B. *Journal of Nervous and Mental Diseases (in press)*.
90. Lennertz L, Wagner M, Grabe HJ, Franke PE, Guttenthaler V, Rampacher F, Schulze-Rauschenbach S, Vogeley A, Benninghoff J, Ruhrmann S, **Pukrop R**, Klosterkötter J, Maier W, Falkai P, Mössner R (2014). 5HT3- receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5HT3 receptor antagonists as novel treatment option. *European Neuropsychopharmacology* 1:86-94.

91. Sevecke K, **Pukrop R.** (2014). Persönlichkeitsstörung. In: G. Lehmkuhl F. Resch (Hrsg.): Psychotherapie des jungen Erwachsenenalters. Göttingen: Hogrefe.